
Color

CS 543 / ECE 549 – Saurabh Gupta
Spring 2021, UIUC

<http://saurabhg.web.illinois.edu/teaching/ece549/sp2021/>

While we wait, what color is the dress?

Today,

- Light & Shading
- Color
- Dynamic Perspective




- A. White and gold
- B. Blue and Black
- C. Other (use chat)

<https://www.wired.com/2015/02/science-one-agrees-color-dress/>

What is color?



- Color is the result of interaction between physical light in the environment and our visual system
- Color is a psychological property of our visual experiences when we look at objects and lights, *not* a physical property of those objects or lights (S. Palmer, *Vision Science: Photons to Phenomenology*)




Outline

- Physical origin of color
- Spectra of sources and surfaces
- Physiology of color vision
- Trichromatic color theory
- Color spaces
- Color constancy, white balance

Electromagnetic spectrum




Human Luminance Sensitivity Function



The Physics of Light


Any source of light can be completely described physically by its spectrum: the amount of energy emitted (per time unit) at each wavelength 400 - 700 nm.




Spectra of Light Sources

Some examples of the spectra of light sources


A. Ruby Laser




B. Gallium Phosphide Crystal




C. Tungsten Lightbulb



D. Normal Daylight



Spectra of light sources







[Source: Popular Mechanics](#)

Slide by L. Lazebnik

Reflectance Spectra of Surfaces

Some examples of the reflectance spectra of surfaces



400

700

400

700

400

700

400


700

Wavelength (nm)


Interaction of light and surfaces




- Reflected color is the result of interaction of light source spectrum with surface reflectance



• *




=



So, what is the dimensionality of color?

- A. 3
- B. $(255)^3$
- C. 255
- D. Infinite



The Eye



The human eye is a camera!

- **Lens** - changes shape by using ciliary muscles (to focus on objects at different distances)
- **Pupil** - the hole (aperture) whose size is controlled by the iris
- **Iris** - colored annulus with radial muscles
- **Retina** - photoreceptor cells


Rods and cones, fovea



Rods are responsible for intensity, cones for color perception
Rods and cones are *non-uniformly* distributed on the retina

- **Fovea** - Small region (1 or 2°) at the center of the visual field containing the highest density of cones – *and no rods*



Rod / Cone sensitivity



Why can't we read in the dark?

Physiology of Color Vision

Three kinds of cones:



- Ratio of L to M to S cones: approx. 10:5:1
- Almost no S cones in the center of the fovea


Physiology of Color Vision: Fun facts

- “M” and “L” pigments are encoded on the X-chromosome
 - That’s why men are more likely to be color blind
 - “L” gene has high variation, so some women may be *tetrachromatic*
- Some animals have one (night animals), two (e.g., dogs), four (fish, birds), five (pigeons, some reptiles/amphibians), or even 12 (mantis shrimp) types of cones

<http://ngm.nationalgeographic.com/2016/02/evolution-of-eyes-text>

http://en.wikipedia.org/wiki/Color_vision

Color perception




Rods and cones act as *filters* on the spectrum



- To get the output of a filter, multiply its response curve by the spectrum, integrate over all wavelengths
 - Each cone yields one number
- How can we represent an entire spectrum with three numbers?
- We can't! Most of the information is lost
 - As a result, two different spectra may appear indistinguishable
 - » such spectra are known as **metamers**

Color matching experiments





- We would like to understand which spectra produce the same color sensation in people under similar viewing conditions



Color matching experiment 1







Color matching experiment 1



p_1 p_2 p_3


Source: W. Freeman

Color matching experiment 1






p_1 p_2 p_3

Color matching experiment 1





The primary color amounts needed for a match







p_1 p_2 p_3

Color matching experiment 2







Color matching experiment 2



p_1 p_2 p_3


Color matching experiment 2






p_1 p_2 p_3

Color matching experiment 2

We say a “negative” amount of p_2 was needed to make the match, because we added it to the test color’s side.



The primary color amounts needed for a match:





Trichromacy

- In color matching experiments, most people can match any given light with three primaries
 - Primaries must be *independent*
- For the same light and same primaries, most people select the same weights
 - Exception: color blindness
- Trichromatic color theory
 - Three numbers seem to be sufficient for encoding color
 - Dates back to 18th century (Thomas Young)


https://en.wikipedia.org/wiki/Young_Helmholtz_theory

Artificial Cones




Estimate RGB at 'G' cells from neighboring values.

Color Image



Color Image

Combined



Red



Green



Blue




One Option: RGB

Pros

1. Simple
2. Common

Cons

1. Distances don't make sense
2. Correlated



R



G



B

RGB



Photo credit: J. Hays



Another Option: HSV

Pros

1. Intuitive for picking colors
2. Sort of common
3. Fast to convert

Cons


1. Not as perceptual



H
(S=1,V=1)



S
(H=1,V=1)



V
(H=1,S=0)

HSV




Photo credit: J. Hays

copyright 2000 phi1ga@vt.edu


Another Option: Lab

Pros

1. Distances correspond with human judgment

Cons

1. Complex to calculate



L
(a=0,b=0)



a
(L=65,b=0)



b
(L=65,a=0)

Lab



Photo credit: J. Hays


Why Are There So Many?

- Each serves different functions
 - RGB: sort of intuitive, standard, everywhere
 - HSV: good for picking, fast to compute
 - YCbCr/YUV: fast to compute, compresses well
 - Lab: the right(?) thing to do, but “slow” to compute
- Pick based on what you need and don't sweat it: color really isn't crucial

Color perception

- Color/lightness constancy
 - The ability of the human visual system to perceive the intrinsic reflectance properties of the surfaces despite changes in illumination conditions

Checker shadow illusion



Edward H. Adelson

https://en.wikipedia.org/wiki/Checker_shadow_illusion

What color is the dress?



<https://www.wired.com/2015/02/science-one-agrees-color-dress/>

This strawberry cake has no red pixels!



<https://www.digitaltrends.com/photography/non-red-strawberries/>

White balance

- Analogous to color constancy mechanisms in human vision, cameras have mechanisms to adapt to the illumination in the environment so that neutral (white or gray) objects look neutral

Incorrect white balance











Correct white balance



White balance

- Film cameras:
 - Different types of film or different filters for different illumination conditions
- Digital cameras:
 - Automatic white balance
 - White balance settings corresponding to several common illuminants
 - Custom white balance using a reference object



AWB	Auto White Balance
	Custom
K	Kelvin
	Tungsten
	Fluorescent
	Daylight
	Flash
	Cloudy
	Shade

White balance

- [Von Kries adaptation](#): Multiply each channel by a *gain factor*
- Best way: gray card
 - Take a picture of a neutral object (white or gray)
 - If the object is recorded as r_w , g_w , b_w use weights $1/r_w$, $1/g_w$, $1/b_w$



White balance

- Without gray cards: we need to “guess” which pixels correspond to white objects
- Gray world assumption
 - The image average r_{ave} , g_{ave} , b_{ave} is gray
 - Use weights $1/r_{ave}$, $1/g_{ave}$, $1/b_{ave}$
- Brightest pixel assumption
 - Highlights usually have the color of the light source
 - Use weights inversely proportional to the values of the brightest pixels
- Gamut mapping
 - Gamut: convex hull of all pixel colors in an image
 - Find the transformation that matches the gamut of the image to the gamut of a “typical” image under white light
- Use image statistics, learning techniques

Mixed illumination

- When there are several types of illuminants in the scene, different reference points will yield different results



Reference: moon



Reference: stone

Outline

- Physical origin of color
- Spectra of sources and surfaces
- Physiology of color vision
- Trichromatic color theory
- Color spaces
- Color constancy, white balance